



Report #:

IF-824-QSA-TR006-2026-75-01

Page 1 of 2

Title:

Certificate of Analysis (CoA)

Date: 2/12/2026
Date Tested: 2/10/2026
Customer: Finnrick
Testing material: BPC-157
Lot Number: VQ3EWMX
BT Sample ID: 005000038786235
Labeled Peptide Content/Potency: 5 mg
Storage: R.T.
Visual Description: small clear vial: white sample, white label, silver crimp, green plastic cap.
Labeled as: BPC-157
Manufacturer: n/a
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	White powder	White powder
Mass	USP <41>	As recorded	63.6 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of BPC-157 with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: ≥ 98 %	98.5 %
HPLC Potency Assay	USP <621>	Specifications: 95 – 105% of 5 mg	5.3 mg (106.2 %)
Peptide-to-Fillers Ratio	USP <1151>	Specifications: Ratios of 1:2 to 1:10 peptide:excipients	5.3 : 58.3 mg (1:11)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, AS
 Scientist-I
 BTLabs

Verna Zheng, AS
 Scientist-I
 BTLabs

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407
 Phone: (561) 625-0133
 E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>



Report #:


IF-824-QSA-TR006-2026-75-01

Page 2 of 2


Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: BPC-157 Lot VQ3EWMX



HPLC Purity and Potency Assay @ 220 nm: BPC-157 Lot VQ3EWMX



BPC-157 Lot VQ3EWMX @ 220 nm		
Peak #:	Retention Time (min)	Area (mAU*s)
1	3.728	4884.9
2	4.136	232.9

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407

Phone: (561) 625-0133

E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>